

	Type	Ref #	Hits	Search Text
1	BRS	S1	272	324/548.ccls.
2	BRS	S2	2	"08043507"
3	BRS	S3	2	"2002267708"
4	BRS	S4	3	"04142017"
5	BRS	S5	4	"06342024"
6	BRS	S6	2	"2001297954"
7	BRS	S7	3	"2001085283"
8	BRS	S8	216	324/519.ccls.
9	BRS	S9	272	324/548.ccls.
10	BRS	S10	544	324/658.ccls.
11	BRS	S11	345	324/686.ccls.
12	BRS	S12	226	324/430.ccls.
13	BRS	S13	387	324/525.ccls.
14	BRS	S14	154	324/600.ccls.
15	BRS	S15	102	324/629.ccls.
16	BRS	S16	163	324/649.ccls.
17	BRS	S17	54	S9 and impedance
18	BRS	S18	51	S9 and electrolyt\$3
19	BRS	S19	12	S17 and S18
20	BRS	S20	9	S19 and frequency
21	BRS	S21	9	S20 and capacitor
22	BRS	S22	4	S17 and (horizontal or vertical or (x adj axis) or (y adj axis))
23	BRS	S23	2734	capacitor and (impedance with measur\$5) and (horizontal or vertical or (x adj axis) or (y adj axis))
24	BRS	S24	558	S23 and ("324"/\$.ccls.)
25	BRS	S25	1	S23 and (324/548.ccls.)
26	BRS	S26	5	S23 and (324/525.ccls.)
27	BRS	S27	8	S23 and (324/658.ccls.)
28	BRS	S28	9	S23 and (324/686.ccls.)
29	BRS	S29	32	"324"/\$.ccls. and (inflection adj point) and capacitor and impedance and frequency
30	BRS	S30	2	("6198290").URPN.
31	BRS	S31	11	("3801900"   "4184112"   "4216424"   "4426616"   "4745359"   "4931721"   "4968947"   "5159526"   "5502375"   "5504422"   "5726579").PN.
32	BRS	S32	8	"5808443"

33	BRS	S33	11	(capacitor with electrolyt\$3) and impedance and frequency and (inflection adj point)
----	-----	-----	----	---

	Type	Ref #	Hits	Search Text
34	BRS	S34	796	(capacitor with electrolyt\$3) and (impedance with (test\$3 measur\$5 determin\$6 identif\$6 sens\$3)) and frequency
35	BRS	S35	83	S34 and ("324"/\$.ccls.)
36	BRS	S36	210	S34 and ("361"/\$.ccls.)
37	BRS	S37	2	"03028050"
38	BRS	S38	4	"2003028050"
39	BRS	S39	796	(capacitor with electrolyt\$3) and (impedance with (test\$3 measur\$5 determin\$6 identif\$6 sens\$3)) and frequency
40	BRS	S40	210	S39 and ("361"/\$.ccls.)
41	BRS	S41	147	S40 and (electrolyt\$3 with (solution or liquid))
42	BRS	S42	83	S39 and ("324"/\$.ccls.)
43	BRS	S43	20	S42 and (electrolyt\$3 with (solution or liquid))
44	BRS	S44	14	S39 and ("320"/\$.ccls.)